

Ship Aug. 24

Work Order ID 164960

164960

Page 1

Thursday, August 10, 2017 2:01:19 PM

Item ID: D205-633-023 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Helix-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible
Start Date: 8/16/2017 Start Qty: 1.00 *1* Cust Item ID:
Required Date: 8/24/2017 Req'd Qty: 1.00 *1* Customer:
Reference:
Approvals: Process Plan:  Date: AUG 10 2017 Tooling: Date: Run Start *NR1*
QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN-D205-633	C								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D205-633-023 CHG001								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									

DAS
6
9-89

AUG 10 2017

DAS
28
9-89

AUG 30 2017

AUG 14 2017

DAS
27
9-89

DAS
28
9-89

AUG 30 2017

Work Order ID 164960

Thursday, August 10, 2017 2:01:19 PM

164960

Page 2

Item ID: D205-633-023**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible**Start Date:** 8/16/2017 **Start Qty:** 1.00***1*****Cust Item ID:****Required Date:** 8/24/2017 **Req'd Qty:** 1.00***1*****Customer:****Reference:****Approvals:****Process Plan:** _____**Date:** _____**Tooling:** _____**Date:** _____**Run Start*****NR1*****QC:** _____**Date:** _____**SPC (Y/N):** _____**Date:** _____**Stop*****NR2*****Sequence ID/
Work Center ID****Operation
Description****Set Up/
Run Hours****Tool ID****Tool #****Plan
Code****Accept
Qty****Reject
Qty****Reject
Number****Insp.
Stamp**

130

Identify as per dwg & Stock Location: _____

0.00

130

Packaging

Packaging

Memo

0.00

Identify and pack for shipping as per PPP D205-633-023
Location : FG082*Sold*DAS
28
9-89DAS
27
9-89

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

AUG 30 2017

DAS
21
9-89

AUG 30 2017

DAS
21
9-89

AUG 30 2017

Picklist Print

Thursday, August 10, 2017 2:01:18 PM

Page 1

Work Order ID: 164960

164960

Parent Item: D205-633-023

D205-633-023

Parent Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017

Required Date: 8/24/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A new issue Rev B dwg 07-11-19 DD verified by:EC Ipp RevB
11.07.26 per NCR 11-628 EC verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN4-12A

Purchased

No

110

Each

166.0000

1

1

AN4-12A

**

Bolt

Location

Loc Qty

Loc Code

FG

10

120423

10

over003

125

m138209

125

ST344

31

m137412

31

AN4-14A

Purchased

No

110

Each

191.0000

1

1

AN4-14A

**

Bolt

Location

Loc Qty

Loc Code

FG

5

122141

5

over003

100

M138084

100

ST344

86

M137495

8

M137886

78

DAS
28
9-89

DAS
28
9-89

AUG 14 2017

DAS
27
9-89

AUG 14 2017

DAS
27
9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Thursday, August 10, 2017 2:01:18 PM

Page 2

Work Order ID: 164960

164960

Parent Item: D205-633-023

D205-633-023

Parent Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017

Required Date: 8/24/2017

Start Qty: 1.00

Required Qty: 1.00

AN44-7A Purchased No 110 Each 9.0000 1 1
AN44-7A **
 Eyebolt

DAS
28
9-89

Location	Loc Qty	Loc Code
ST339	9	
m137371	4	
m137594	5	

AUG 14 2017

DAS
27
9-89

AN4-5A Purchased No 110 Each 96.0000 1 1
AN4-5A **
 BOLT

DAS
28
9-89

Location	Loc Qty	Loc Code
ST345	96	
m137371	96	

AUG 14 2017

DA
27
9-8

AN4-6A Purchased No 110 Each 1,195.000 3 3
AN4-6A **
 BOLT

DAS
28
9-89

Location	Loc Qty	Loc Code
over003	700	
M138045	500	
M138207	200	
ST345	495	
M137951	495	

AUG 14 2017

DAS
27
9-89

AN4-7A Purchased No 110 Each 155.0000 1 1
AN4-7A **
 Bolt

DAS
28
9-89

Location	Loc Qty	Loc Code
over003	140	
m137820	140	
ST345	15	
m136866	15	

AUG 14 2017

DAS
27
9-89

Thursday, August 10, 2017 2:01:18 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Picklist Print

Thursday, August 10, 2017 2:01:18 PM

Page 3

Work Order ID: 164960

164960

Parent Item: D205-633-023

D205-633-023

Parent Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017

Required Date: 8/24/2017

Start Qty: 1.00

Required Qty: 1.00

AN5-14A

Purchased

No

110

Each

42.0000

1

1

AN5-14A

Bolt

DAS
28
9-89

Location

Loc Qty

Loc Code

ST338

42

m137699

42

D2022-101

Manufactured

No

110

Each

33.0000

4

4

D2022-101

Spacer

DAS
28
9-89

Location

Loc Qty

Loc Code

ST001

33

159306

7

162474

26

D2022-103

Manufactured

No

110

Each

29.0000

2

2

D2022-103

Spacer

DAS
28
9-89

Location

Loc Qty

Loc Code

ST001

29

162375

29

D2562-013

Manufactured

No

110

Each

4.0000

1

1

D2562-013

Strut 26.63"

DAS
28
9-89

Location

Loc Qty

Loc Code

ST353

4

159921

4

AUG 14 2017

AUG 14 2017

AUG 14 2017

AUG 14 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :			
Misidentified	☐	Past Due	☐				

Picklist Print

Thursday, August 10, 2017 2:01:19 PM

Page 4

Work Order ID: 164960

164960

Parent Item: D205-633-023

D205-633-023

Parent Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017

Required Date: 8/24/2017

Start Qty: 1.00

Required Qty: 1.00

D2563

Manufactured No

110

Each

1.0000

1

1

D2563

Step Weldment Assembly

**

B165401

AUG 14 2017

Location

Loc Qty

Loc Code

PKG

1

163018

1

D2565-201

Manufactured No

110

Each

3.0000

1

1

D2565-201

Strut

**

AUG 14 2017

Location

Loc Qty

Loc Code

ST354

3

160050

3

D2565-203

Manufactured No

110

Each

3.0000

1

1

D2565-203

Strut

**

AUG 14 2017

Location

Loc Qty

Loc Code

ST354

3

160053

3

D2565-205

Manufactured No

110

Each

3.0000

1

1

D2565-205

Strut

**

AUG 14 2017

Location

Loc Qty

Loc Code

ST354

3

160058

3

Picklist Print

Thursday, August 10, 2017 2:01:19 PM

Page 5

Work Order ID: 164960

164960

Parent Item: D205-633-023

D205-633-023

Parent Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017

Required Date: 8/24/2017

Start Qty: 1.00

Required Qty: 1.00

D2565-207

Manufactured No

110

Each

5.0000

1 1

D2565-207

Strut

**

AUG 14 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

ST354

5

160005

1

161720

4

D2565-209

Manufactured No

110

Each

5.0000

1 1

D2565-209

Strut

**

AUG 14 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

ST355

5

159659

1

161806

4

D2565-211

Manufactured No

110

Each

2.0000

1 1

D2565-211

Strut

**

AUG 14 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

ST355

2

160002

2

D3437-043

Manufactured No

110

Each

3.0000

1 1

D3437-043

Aft Strut Assembly

**

AUG 14 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

ST502

3

159484

3

Thursday, August 10, 2017 2:01:19 PM

Shop Packet Print

Page 5

Picklist Print

Thursday, August 10, 2017 2:01:19 PM

Page 6

Work Order ID: 164960

164960

Parent Item: D205-633-023

D205-633-023

Parent Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017

Required Date: 8/24/2017

Start Qty: 1.00

Required Qty: 1.00

MS21042L4

Purchased

No

110

Each

2,910.000

7 7

MS21042L4

Nut

**

AUG 14 2017

Location

Loc Qty

Loc Code

FP001

10

m133363

10

GA

1

m135058

1

OVER007

2000

m138084

1000

m138170

500

m138230

500

ST303

899

m137680

10

m137988

889

7

MS21042L5

Purchased

No

110

Each

645.0000

2 2

MS21042L5

Nut

**

AUG 14 2017

Location

Loc Qty

Loc Code

GA

10

m127813

10

OVER007

200

m138209

200

ST303

435

m137587

235

m137963

200

2

DAS
28
9-89

DAS
28
9-89

Thursday, August 10, 2017 2:01:19 PM

Shop Packet Print

Page 6

Picklist Print

Thursday, August 10, 2017 2:01:19 PM

Page 7

Work Order ID: 164960

164960

Parent Item: D205-633-023

D205-633-023

Parent Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017

Required Date: 8/24/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0463J

Purchased

No

110

Each

4,759.000

14

14

NAS1149D0463.I

Washer

**

AUG 14 2017

DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

GA	559
M135056	40
M137699	519
ST260a	2200
M137988	600
M138230	1600
ST263	2000
<u>M138084</u>	2000

14

NAS1149D0563J

Purchased

No

110

Each

2,156.000

3

3

NAS1149D0563.I

Washer

**

AUG 14 2017

DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

GA	36
m135774	36
ST260a	1400
m138040	700
m138209	700
ST263	720
m137587	20
<u>m137820</u>	700

3

Thursday, August 10, 2017 2:01:19 PM

Shop Packet Print

Page 7

5.2 D205-633-021/-022/-023/-024/-025/-026 Heli-Access Step
(Simplex Model 304 Fire Attack Tank Compatible)

QTY -021	QTY -022	QTY -023	QTY -024	QTY -025	QTY -026	Part Number	Description
X						D205-633-021	Heli-Access-Step™ (LH), High Gear
	X					D205-633-022	Heli-Access-Step™ (RH), High Gear
		X				D205-633-023	Heli-Access-Step™ (LH), Extended High Gear (31")
			X			D205-633-024	Heli-Access-Step™ (RH), Extended High Gear (31")
				X		D205-633-025	Heli-Access-Step™ (LH), Extended High Gear (39")
					X	D205-633-026	Heli-Access-Step™ (RH), Extended High Gear (39")
4	4	4	4	4	4	D2022-101	SPACER
2	2	2	2	2	2	D2022-103	SPACER
				1	1	D2562-005	STRUT
1	1					D2562-011	STRUT
		1	1			D2562-013	STRUT
1		1		1		D2563	WELDMENT ASSEMBLY
1	1					D2565-101	STRUT
1	1					D2565-103	STRUT
1	1					D2565-105	STRUT
1	1					D2565-107	STRUT
1	1					D2565-109	STRUT
*1	*1					D2565-111	STRUT
		1	1			D2565-201	STRUT
		1	1			D2565-203	STRUT
		1	1			D2565-205	STRUT
		1	1			D2565-207	STRUT
		1	1			D2565-209	STRUT
		*1	*1			D2565-211	STRUT
				1	1	D2565-301	STRUT
				1	1	D2565-303	STRUT
				1	1	D2565-305	STRUT
				1	1	D2565-307	STRUT
				1	1	D2565-309	STRUT
				*1	*1	D3165-1	SUPPORT ARM
1	1					D3437-041	AFT STRUT ASSEMBLY
		1	1			D3437-043	AFT STRUT ASSEMBLY
				1	1	D3437-045	AFT STRUT ASSEMBLY
	1		1		1	D3438-042	WELDMENT ASSEMBLY
1	1	1	1	1	1	AN4-5A	BOLT
4	4	3	3	3	3	AN4-6A	BOLT
1	1	1	1	1	1	AN4-7A	BOLT
1	1					AN4-11A	BOLT
		1	1	1	1	AN4-12A	BOLT
1	1	1	1	1	1	AN4-14A	BOLT
1	1	1	1	1	1	AN44-7A	EYEBOLT
1	1	1	1	1	1	AN5-14A	BOLT
16	16	14	14	14	14	AN960JD416	WASHER
3	3	3	3	3	3	AN960JD516	WASHER
8	8	7	7	7	7	MS21042L4	NUT (or MS21042-4)
2	2	2	2	2	2	MS21042L5	NUT (or MS21042-5)

* ONLY INSTALLED IF TANK IS REMOVED

• COPYRIGHT © 2002 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: C

Date: 13.12.13

Work Order ID 164960***164960***

Page 1

Thursday, August 10, 2017 2:01:19 PM

Item ID: D205-633-023

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Heli-Access-Step™ LH - 31" Extended Height Gear, Simplex Tank Compatible

Start Date: 8/16/2017 Start Qty: 1.00

1

Cust Item ID:

Required Date: 8/24/2017 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan:

Date: AUG 10 2017

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

IIN-D205-633

C

AUG 10 2017

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D205-633-023 CHG001

DAS
5
9-89

AUG 15 2017

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.00

Quality Control



Department of Transport

*Supplemental Type Certificate***This approval is issued to:**

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ontario
K6A 1K7 Canada

Number: SH96-57**Issue No.:** 5**Approval Date:** May 13, 1996**Issue Date:** March 11, 2003**Responsible Region:**

Ontario

Aircraft/Engine Type or Model:

BELL 205A, 205A 1, 205B, 212, 214B, 214B 1, 412, 412 CF, 412 EP

Canadian Type Approval or Equivalent:

H1SW, H-104, H-86, H-80

Description of Type Design Change:

Heli-Access-Step Installation

**Installation/Operating Data,
Required Equipment and Limitations:****Installation:**

Installation of Heli-Access-Steps is to be carried out in accordance with Dart Aerospace Ltd. Drawing No. IIN-D205-633 Rev. A, dated 02.06.14, or later Transport Canada approved revision.

Required Equipment:


Inspection of the installation is to be performed in accordance with Dart Aerospace Ltd. Instructions for Continued Airworthiness ICA-D205-633 Rev. 0, dated 02.06.18, or later Transport Canada accepted revision.

Flight Manual Supplement FMS-D205-633, rev B, dated 03.02.24, or later Transport Canada approved revision.

Note: Compatibility of this installation has been shown with the D205-523 rappel installations approved per Canadian STC SH96-90 (ref. FAA STC SR00511NY/SR00512NY/SR00513NY)

- END -

Conditions: This approval is only applicable to the type/model of aeronautical product specified therein. Prior to incorporating this modification, the installer shall establish that the interrelationship between this change and any other modification(s) incorporated **will not** adversely affect the airworthiness of the modified product.



Alex. Pompei
Senior Engineer, Aircraft Certification
For Minister of Transport